

# 1 Mobile terminal with handle AndroSavvy-100G



**AndroSavvy-100G is a highly advanced and professional equipment with small size and weight, making it convenient to use. The mobile terminal can be used in warehouses, sales rooms, at checkout counters, in offices or wherever fast and efficient scanning or data entry is needed. This mobile terminal provides convenient and efficient management of warehouse, inventory, etc.**

# Mobile terminal with handle AndroSavvy-100G

<b>Model</b>	AndroSavvy-100G	<b>Code scanner</b>	Built-in 2D code scanner
<b>Color</b>	black	<b>Software language</b>	english
<b>Operating system</b>	Android 12.0	<b>Interface</b>	USB type C
<b>Processor</b>	MTK6765 octa core 2.3GHz	<b>Expansion slot</b>	MicroSD, SDHC support up to 512GB, two micro SIM connectors
<b>Memory</b>	4 GB/64 GB	<b>Battery capacity</b>	removable 4000mAh battery
<b>Display</b>	5 cali IPS 16:9, 1280*720	<b>Charging time</b>	3 hours
<b>Display type</b>	GFF 5-point capacitive touchscreen, Gorilla Glass 3	<b>Operating time</b>	12 hours
<b>LED</b>	charging, scanning and system statuses	<b>Dimensions of the device</b>	16,5 x 7,6 x 1,6 cm
<b>Camera</b>	auto focus 8 Mega with LED flash	<b>Dimensions of the package</b>	20,5 x 14,5 x 13,5 cm
<b>Speaker</b>	minimum 90db at 10cm-1KHz	<b>Weight of the device</b>	260 g
<b>Microphone</b>	noise-canceling microphone	<b>Weight with packaging</b>	500 g
<b>Keyboard and keys</b>	touch keyboard + 3 function keys	<b>Working temperature</b>	from -20 to 50°C
<b>Keyboard life cycle</b>	300 thousand clicks	<b>Storage temperature</b>	from -30 to 70°C
<b>Sensors</b>	Proximity, Light, Gravity, 3D gyroscope, E-compass	<b>Operating humidity</b>	5 do 95%
<b>Communications</b>	WiFi 802.11 a/b/g/n/ac (2.4G+5G), Bluetooth 5.0	<b>Protection class</b>	IP67, MIL-STD 810G
<b>Wireless network</b>	TDD-LTE, FDD-LTE, WCDMA, GSM	<b>ESD</b>	±8kV contact discharge, ±15kV air discharge
<b>Communication with computer</b>	USB 2.0 OTG: Type-C ; Supports TYPE-C headphones.	<b>Drop resistance</b>	Multiple drops to concrete from a height of 1.5 m in a reinforced protector as required by MIL STD 810 G
<b>Readable 1D codes</b>	UPC/EAN, Code128, Code39, Code93, Code11, Interleaved 2 of 5, Discrete 2 of 5, Chinese 2 of 5, Codabar, MSI, RSS, etc.		
<b>Readable 2D codes</b>	PDF417, MicroPDF417, Composite, RSS, TLC-39, Datamatrix, QR code, Micro QR code, Aztec, MaxiCode, Postal Codes: US PostNet, US Planet, UK Postal, Australian Postal, Japan Postal, Dutch Postal (KIX), etc.		

