Wired QR scanner with stand HD870A



The HD870A has a CMOS sensor with 640 x 480 resolution, which guarantees precise and fast barcode scanning. The reader can cope with a wide range of 1D and 2D codes, including UPC/EAN, Code 39, QR Code, DataMatrix, as well as the Aztec code found in the vehicle registration certificate.

Wired QR scanner with stand HD870A

| Model | HD870A | Storage temperature | -40 to 70°C |
|-----------------------|---|-----------------------|---------------------|
| Color | black | Operating humidity | 5 to 95% |
| Matrix | CMOS 640 x 480 | Storage humidity | 5 to 95% |
| Scanning method | manually (on a button) | Device dimensions | 17,2 x 6,7 x 8,1 cm |
| Interface | USB, Virtual COM | Package dimensions | 19,5 x 10,5 x 8 cm |
| Cable length | 180 cm | Weight of device | 150 g |
| Operating temperature | -20 to 50°C | Weight with packaging | 350g |
| Readable 1D codes | UPC/EAN z dodatkami, Code 39, Code 39 Full ASCII, Trioptic Code 39, RSS warianty, UCC/EAN 128, Code 128, Code 128 Full ASCII, Code 93, Codabar (NW1), Interleaved 2 z 5 (ITF) | | |
| Readable 2D codes | MaxiCode, DataMatrix, PDF 417, Micro PDF 417, QR Code, Aztec | | |



