

Industrial label printer with WIFI OPrint-IA200WN



OPrint-IA200WN industrial label printer guarantees clear and accurate printing of receipts, labels, etc., **up to 104 mm wide, with a resolution of 203 dpi, and at a speed of up to 203 mm/s.** Printing is performed using either **direct thermal or thermal transfer methods**, depending on user preference. This device is ideal for high-volume printing.

Industrial label printer with WIFI OPrint-IA200WN

Model	OPrint-IA200WN	Roller type	continuous paper, die-cut, black-marked paper, fan-fold, notched
Material	ABS plastic, metal	Roll width	20~120 mm
Printing method	thermal and thermal transfer	Roll thickness	0.06~0.254 mm
Resolution	203dpi	Roller diameter	25.4 ~ 76.2 mm
Max print speed	203 mm/s	Label roll capacity	203 mm (8")
Max print width	104 mm	Label length	5~2,286 mm
Max print length	2286 mm	Device dimensions	25,5 x 26,5 x 42,5 cm
CPU	400MHZ, 32-bit, ARM9	Package dimensions	51 x 38 x 37 cm
RAM	128MB SDRAM	Device weight	9.65 kg
Operating voltage	AC 200-240V, 1.5A, 50-60Hz	Weight with packaging	11,5 kg
Interface	USB 2.0, USB Host 2.0, RS-232, Ethernet, WIFI	Operating temperature	5 - 40°C
Buttons	switch, stop button, feed button	Storage temperature	-40 - 60°C
Printer command languages	EPL, ZPL, ZPL II, DPL, TSPL	Working humidity	25% - 85%
Ribbon length	maximum 405 m	Storage humidity	10% - 90%
Ribbon width	maximum 115 mm	Certificates	FCC Class A, CE Class A, CCC, BIS, CB
Printed 1D codes	Code 11, Code 39, Code 93, Code 128, UPC-A, UPC-E, UCC-128, Codebar, EAN/JAN-8, EAN/JAN-13, Interleaved 2 of 5, ITF14, MSI Pleassy, PostCode, Telepen		
Printed 2D codes	QR CODE, PDF 417, Micro QR Code, Micro PDF417, Grid Matrix, MaxiCode, Aztec Code, Data Matrix		

