

# Manual

---

Mortise lock hook with  
crucible, angled  
**SecureEntry-SC10**

Table of contents

Specifications: ..... 2

Kit contents:..... 2

Assembly Instructions..... 3

Maintenance and use..... 4

Safety Notes ..... 4

## Specifications:

- **Device type:** mortise lock hook, angled
- **Material:** Aluminum alloy
- **Application:** mortise, ordinary and electronic locks
- **Product dimensions:** 25 x 2.85 x 4.95 cm, 18 x 5 x 5 cm
- **Dimensions with packaging:** 26.8 x 6.5 x 6.5 cm
- **Product weight:** 100 g
- **Weight with packaging:** 200 g

## Kit contents:

- Electric lock clip
- 2 metal plates

## Mounting requirements

- Doors equipped with a mortise lock with a deadbolt (mechanical, electromagnetic or electrical)
- Sturdy door frame for bolting the latch
- Basic Mounting Tools: Screwdriver or Screwdriver, Drill (if needed), Spirit Level, Screws & Screws

## Assembly Instructions

### **Preparing the installation site**

Open the door and locate the place on the door frame where the lock bolt will enter. The hook should be fixed on the edge of the frame so that it is in line with the lock.

### **Fitting the strike**

Put the hook against the door frame and check that the bolt enters the tap opening freely. Make minor adjustments to the position as needed.

### **Marking the holes**

Mark the locations where you need to drill holes for the fixing screws.

### **Attaching the Hook**

Screw the Clip onto the door frame with screws. Make sure it is stable and adheres well to the surface.

### **Operation check**

Close the door and check that the lock bolt enters the latch correctly and encounters resistance. The lock should work

smoothly – both mechanically and in electrical or electromagnetic versions.

## Maintenance and use

- Regularly check that the mounting screws are stable and have not come loose.
- If the tap hole is visibly dirty, clean it with a dry cloth.
- Do not use lubricants or oils that can collect dust and debris.
- In case of mechanical damage, replace the hitch with a new one.

## Safety Notes

- Installation must be done in accordance with the instructions to avoid malfunction of the lock.
- If installed with electric or electromagnetic locks, make sure that the electrical installation is made in accordance with the applicable standards.
- Do not modify the hitch yourself.