

Manual

Electric surface lock clip
with bolt

SecureEntry-SC20

Table of contents

Specifications:.....	2
Kit contents:.....	2
General safety rules	3
Assembly.....	3
Service	4
Maintenance.....	4

Specifications:

- **Warranty:** 1 year
- **Device Type:** Electric Surface Lock Clip
- **Material:** Pure Stainless Steel
- **Application:** Electronic Surface Locks
- **Suitable door type:** glass without frame
- **Suitable Door Thickness:** 10-15mm
- **Opening mode:** 90 degree or 180 degree two-way door
- **Product dimensions:** 9.8 x 3.8 x 4.8 mm
- **Dimensions with packaging:** 10 x 5.5 x 5 cm
- **Product weight:** 100 g
- **Weight with packaging:** 300 g

Kit contents:

- Electric lock clip
- Metal and rubber pad

General safety rules

1. Before installation, make sure that the door on which the hook is to be mounted is of the right type (glass, frameless) and 10-15 mm thick.
2. Install only on a clean and stable surface.
3. Be careful not to damage the glass or steel components during installation.
4. Use the product only with electronic surface locks.
5. Check the fastening of the catch regularly – loose components can cause the lock to malfunction.

Assembly

1. Place the tab against the door surface and mark the mounting points.
2. Secure the clip using the appropriate mounting hardware, avoiding excessive pressure on the glass.
3. Position the latch so that it can open the door in 90° or 180° mode.
4. Check the fit with the electronic lock and perform a test opening and closing.

Service

1. Once installed, the latch works directly with the electronic surface lock.
2. The door can be opened freely in both directions, depending on the setting (90° or 180°).
3. Avoid strong jerks and impacts – this may lead to damage to the catch or lock.

Maintenance

1. Clean the tab regularly with a soft, damp cloth.
2. Do not use harsh chemicals or abrasives.
3. Once every few months, check the fastening and tighten the screws if they have become loose.
4. In case of visible mechanical damage, replace the component to ensure safety of use.