


1

## Wired RFID 125 kHz tag reader RFID HD-RD30



**The wired HD-RD30 is a compact RFID tag reading device.** It features an elegant design that affects the aesthetics of the environment. The small size and light weight save working space and increase the comfort of use.

# Wired RFID tag reader HD-RD30

<b>Model</b>	HD-RD30		
<b>Fabrication material</b>	ABS	<b>Reading distance</b>	0,5-80 mm
<b>Reading method</b>	automatically	<b>Operating frequency</b>	125 kHz
<b>Confirmation of reading</b>	light and sound signal	<b>Output format</b>	10-character decimal
<b>Interface</b>	USB	<b>Power supply</b>	USB DC 5V
<b>Weight of device</b>	140 g	<b>Operating temperature</b>	-10 - 70°C
<b>Weight with packaging</b>	310 g	<b>Storage temperature</b>	-20 - 80°C
<b>Device dimensions</b>	105 x 68 x 10 mm	<b>Operating humidity</b>	0 - 90%
<b>Package dimensions</b>	125 x 85 x 38 mm	<b>Storage humidity</b>	0 - 90%
<b>Cable length</b>	140 cm		
<b>Reading speed</b>	do 200 ms		
<b>Time between readings</b>	0,5 s		
<b>Readable chips</b>	EM4100, SMC4001, EM4200, EM4305, T5577		

