

Stationary QR Code Scanner HD-S92



HD-S92 is a modern scanner designed for stationary work. It is made of high-quality materials that ensure durability and solidity. It is characterized by **speed and precision in scanning 1D and 2D QR barcodes, regardless of their quality.** It reads codes displayed on LCD screens efficiently.

Stationary QR Code Scanner HD-S92

Model	HD-S92	Interface	USB
Light source	Red LED	Cable length	200 cm
Optical resolution	640 x 480 , 120 fps	Degree of protection	IP54
Scanning method	Manually / Automatically	Fall resistance	up to 1.5 m
Scan confirmation	light and sound signal	Device dimensions	12x11x5,3 cm
Scanning speed	200 scans per second	Package dimensions	13,5x10,5x5,5 cm
Scanning angle	Rotation: 0-360 degrees, Tilt: ±65 degrees, Yaw: ±6,5 degrees	Device weight	300 g
Print Contrast	min 25%	Weight with packaging	460 g
Error rate	≤ 1/2 000 000	Operating temperature	-20 - 60°C
Voltage	5VDC	Storage temperature	-40 - 85°C
Operating current	390 mA (max), 220 mA (typical)	Working humidity	5% - 95%
1D codes read	Code 39, Full ASCII Code 39, Code 32, Code 128, Code 93, Code 11, Codabar/NW7, All UPC/EAN/JAN code (EAN-13, EAN-8, UPC-A, UPC-E, EAN-128), Interleaved 2 z 5 (ITF), STD 2 z 5, Industrial 2 z 5, Matrix 2 z 5, Chinese Postage Code, IATA, MSI/PLESSY, Italian Pharmacy Code, BC-412		
2D codes read	QR Code, Data Matrix, PDF417, Aztec code, Maxicode		

